

MICRO - AID DIAGNOSTIC LABORATORY

EXCLUSIVE DIAGNOSTIC SERVICES IN MICROBIOLOGY AND IMMUNOLOGY

3, Ankur, 2nd Floor, B/h. Town Hall, Ellisbridge, Ahmedabad - 380 006. INDIA

Phone : Lab. : 91 - 79 - 2657 6581 Mobile : 9825009761

Member :

- ◆ Indian Association of Medical Microbiologists
- ◆ Hospital Infection Society - India
- ◆ Indian Society for Parasitology
- ◆ Gujarat T. B. Association

Dinesh K. Khandhadia

M.Sc. (Medical) Bac.
CONSULTANT CLINICAL MICROBIOLOGIST
AND HOSPITAL INFECTION CONTROL

SURVEILLANCE REPORT

V. S. General Hospital - Cardiothoracic Operation Theatre

Date of Surveillance: September 28, 2005.

	Before fumigation	After fumigation
Air count	15 c.f.u. - Coagulase-negative Staphylococcus	1 c.f.u. - Coagulase-negative Staphylococcus
Surface swabs: O T Mattress	Heavy growth. - Coagulase-negative Staphylococcus	Heavy growth. - Coagulase-negative Staphylococcus
Floor	No growth	No growth
Laryngoscope	No growth	No growth
Over-head Light	No growth	No growth
Suction machine	Heavy growth of <i>Pseudomonas aeruginosa</i> and <i>Klebsiella pneumoniae</i>	Heavy growth of <i>Pseudomonas aeruginosa</i> and <i>Klebsiella pneumoniae</i>

Report date : October 3, 2005