

Gujarat Laboratory

AN ISO 9001 : 2008 CERTIFIED LABORATORY

F-17, MADHAVPURA MARKET, SHAHIBAUG, AHMEDABAD - 380 004.

Tele Fax : (079) 25626040, 25624821

Email : gujlab@gmail.com • Website : www.gujaratlaboratory.com



TEST REPORT

Test Report No.:GL/GR04/285/07/2012

Labid No:77/07

Submitted By : Radiant Enterprise

417, Devpath Building B/s, Lal Bunglow,
Off. C.G. Road, Ellisbridge,
Ahmedabad.380006.

Page 1 of 1

Date of Receipt 11th July 2012

Sample Name : Aerojet Steriz Fogging Machine for fumigation.

Disinfectant : Virosil Pharma

Concⁿ of disinfectant : 20% v/v

Size of space : 3000 cu.ft

Time of Fumigation : 24 Minute.

Test method:-

To disinfect 3000 C.ft of space, total 1200ml of diluted Virosil Pharma (20% solutions) was used. 1200ml solution was fogged uniformly in the room. The fogging took approximately 24 minutes then room was sealed.


Air count were taken before fumigating the unit Appropriate media plates were exposed for 15minute at several places in the unit. Then unit was fumigated with Aerojet Steriz fogging machine containing Virosil Pharma disinfectant recommended concentration and allowed to react for 60 minutes. Again appropriate media plates were exposed for 15 minutes. The plates were incubated for bacterial count at 37c for 48 hours and for fungal count at 25c for further 3 days.

Sr. No.	Name of Organism	Result		% reduction
		Before cleaning (cfu/ml)	After cleaning (cfu/ml)	
1.	Total Bacterial count	18	Absent	100%
2.	Total Fungal count	Absent	Absent	100%

Conclusion:

- 1.The combination of Aerojet steriz & Virosil Pharma disinfectant is effective for eliminating the bacterial & fungal load within a contact time for 60 minutes.
- 2.During & after the treatment no wetness or excessive residues noticed on the floors, walls, glasses & as well as on equipments.

For, Gujarat Laboratory


Autho. Signatory

Note:

1. The Result refer only to the tested sample & applicable parameters, Endorsement of products is neither inferred nor implied.
2. Total liability of our institution is limited to the invoice amount/testing charges.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. Sample drawn & submitted by the party for analysis unless otherwise stated.
5. Gujarat Laboratory maintains strict confidentiality of all the analysis and test results and customer supplied product and will not reveal this information to third party unless required by the statutory or legal requirement.
6. Subject to Ahmedabad Jurisdiction.
7. Perishable samples will be destroyed after testing, others after three weeks from the date of issue of the report, unless otherwise agreed with the customer.
8. The sample is accepted by us subject to our general conditions of services which is displayed at reception notice Board & is also available on request. Attention is drawn to the limitation of liabilities; indemnification and jurisdictional issues etc defined therein.
9. Customer requested for the above test only